

_

(2005-1953)

I I

1.1 1 3 2.1 4 3.1 4 4.1 5 5.1 6 1.2 24 2.2 1.3 30 31 2.3

1.4

41	2.4
48	3.4
51	4.4
54	5.4
58	6.4
61	7.4
62	8.4
65	9.4
68	10.4
72	11.4
77	12.4
81	13.4
	:
84	1.5
93	2.5
98	3.5
100	4.5
102	

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19

65		20
66		21
67		22
67		23
69		24
24		25
75		26
78		27
80		28
95		29
96		30
98	[2005-1953]	31

85 1953

86 1976

88 1992

89 2005

39		-1
39		-2
40	2007	-3
40		-4
40		-5
81		-6
81		-7
83		-8
83		-9
83		-10

2005 - 1953] -

2007 -

1:25000 1953 1:30000 1992 1976

2005

2005 104.6 1953 566.7 671.3

Abstract

Urban expansion in the city of Tafila-Jordan ,during the period (1953 - 2005) Adnan Ibrahem Al-Mesaa'deen Mu'tah University - 2007

This study aims to track and delimit the size of the built environment expansion as well as various factors that have influenced the urban development in the city of Tafila. Light is cast here on improvements in the various areas of infrastructure such as health services, transport, educational facilities, water, electricity and sewage systems, and their efficiency.

This project adopts a historical approach to examine urban expansion using aerial photographs taken of the city in 1953, 1976, and 1992 and satellite images taken in 2005. We have also used GIS and remote sensing software to create and analyze maps of the city. The residential areas within the city of Tafila in 1953 were 104591 m² and grew to 671289 m² in 2005 with a 566698 m² increment. Information extracted from these maps have shown that building up activities indicates multiple nuclei growth in the modern quarters that is on paradox with the accumulative growth characterized the old City itself.

The present study supports and presents thoughts related to future developmental programs and to suggest solutions for some difficulties facing urban expansion and comprehensive planning. Obstacles that hamper execution of development projects have been outlined. Among these is the absolute absence of planning that causes difficulties such as traffic jams and the rarity of public parks. The study recommends that attention should be paid to the infrastructure, particularly road networks and reorganization of the traffic system in the city to cope with the topography. Areas that are likely to witness instant growth in building activities must be demarked. Organizational plans required for integrable, comprehensive infrastructure should also be prepared in co-ordination with all governmental institutions.

: **1.1**

.(1995).

.(2003) .

: Hiuston

```
.( 2003 ).
        ) " polis "( )
                  .( ) ( tofealpolis )
                        .(1985 ).
                             .( 2007
                               .(
.(
                              .(1985 )
```

()

.(1985).

2.1

: 3.1
(2005–1953)
-1
-2
-3
-4
-5
-6

4.1

5.1 -1 .(2005 – 1953) -2 -3 -4 -5

-6

: 1.2

% 75

.(1996).

п

.(1995)

.(1995) ROBERT.J.BRAIDWOOD 7000 150 6500 3500 - 4000 .(HARAPPA) (MOHENJO-DARO

```
ANYANG (
                   (COPAN)
                                     MAYA
            .( 2001 ).
( Descriptive )
        (Analytic)
                        (Interpretative)
                                                 - 1
```

		•	-2
•		Human Spatial Beh	avior
		· :	-3
		· :	-4
			-5
GIS			
	(2003) Remote Sensing	

.(1995).

()	Meitz	en ()	Damanaan
		•			Demangon
					•
			(lan	: decena	-1
			(lall	dscape)	-1
					-2
	Func	ctional App	roach		-3
	(Morpho	ological Ap	proach)	-4
.(2002) .				
				:	

: -1

:Site -2

RATZEL

.(2001).

:Situation -3

·

.(2001) .

.

:

: -1

.(1990).

: -2

: -3

· -4

: -5

.

-6

-7

5000 . 1979 112000 .(1990) :

:

: :

.

; -

· : -

.(1990)

:

.(2004).

:(Radial plan)

:(Linear Plan) 2

:(Gridiron Plan) 3

:(The plan without plan) 4
.(2002).

.(2002).

Hoyt

Harris and : :

Ullman

•

) . .(2002

.(200*2* :

.

-: : -1

-: : .

.

· : .

: .

. (2000). Northam

. -1 -2 -3

. -5

_ _

).

(2007

(2007)
(9.967.402)
.
(2004)
2.2

(2007)

(2000 1983 1953)

(2005)

(2005) (1946 -1892)

.(2004) 2000 -1980 (2004)

.

(2004)

. 1972

(2003)

(1998)

- 1970 1995

GIS

. (1998)

(1998)

(1996)

.

. (1996)

.() :

(1993)

_ -

1.3 2005 1953 - 1 -2 1953 1:25000 -1 1976 1:30000 -2 1992 1:30000 -3

Google Earth Pro

-4

41

2005

1:50000		-5
		2002
•		-6
ARCGIS 9.2	F) W W 4.0	
	ENVI 4.2.	-7
	-:	
		1
		2
		3
	GPS	4
•	·	5
	·	6
	:	2.3
(1976·1992 1953) 2005		
High	Scanning	

Resolutions

ENVI 4.2

-: Open File -Image File Map-Registration-.Image to Map Registration -1 2005 **GPS** .(RMS: Root Mean Square (Error) . 1 -2 Universal Transfer Mercator .Datum = European 1952 Zone = 36-3 (RMS Error)

Warp

. 5 -4 Warp

(Image Format) GeoTiff (Format) (ARCGIS 9.2)

<u>1976</u> 1976

-2

-1

Image to Image Registration

(UTM Coordinates)

-3

-4

Mosaic

-5

GeoTiff (Format)

-:

ArcGIS 9.2

 2005
 Built up Area
 -1

 1992
 Built up Area
 -2

 1976
 Built up Area
 -3

 1953
 Built up Area
 -4

Arc Catalog -: Folder Shapfiles ArcCatalog Arc Map ArcCatalog -: 2005 Built up Area -1 -2 -3 Lay Out View -4 .2005 1992 1992

Lay Out View

•

:

.

· (

. -1) -2

.

-3

-4

. -5

·

: (Nuclear Stage) 1.4

" (J.M Houston)

" (G.Taylor)

48

1516
. . .(1985)
. (The Formative Stage) -2
.1923






(1)



(2)

(The Modern Stage) -2

. (5) (4) (3)








: **2.4**

(1)



موقع منطقة الدراسة في الاردن.

(1)

267		
252		
255		
229		
183		
151		
208		
205		
63		
90		
189		
	. 2001	-:
1999	74480	

2005 77100 .(2) 12

(2)

2006

100681	2472264	2628717	945806	1204398	636088	
78400	38538	39862	13297	16549	12649	
92672	44099	48573	15464	20482	17122	
101736	45260	56476	18230	45251	14724	
118496	58080	60416	20919	27466	18224	
129792	62929	66863	22791	27935	18930	
153650	74596	79054	25801	33665	24047	
204135	100779	103356	35706	45418	35027	
240515	115844	124671	39310	47899	42682	
344985	166380	178605	62109	78286	53517	
774569	373772	400797	143421	177855	85689	
925736	4421642	474094	166084	205507	130516	
939405	941986	997419	382674	498085	182961	

2005 23420


% 30

-: (2)

7 28 -:

46815 .

(3)



شكل رقم () خارطة التقسيمات الادارية في محافظة الطفيلة.

(3)

\mathbf{a}	Λ	Λ	_
- 7.	u	u	

8340	4092	4248	1411	1707	1282	
4199	2085	2114	730	1083	724	
2273	1103	1170	363	469	321	
592	302	290	100	130	123	
64	29	35	10	20	28	
790	364	426	142	189	173	
506	240	266	94	123	107	
554	260	294	88	125	87	
74	38	36	21	27	28	
393	194	199	68	115	106	
376	191	185	68	97	97	
6	3	3	2	18	21	
16	8	8	5	18	19	
196	84	112	33	64	58	
6	2	4	3	10	11	
5	1	4	2	7	8	
2	0	2	2	14	15	
58	30	28	11	33	32	
5	0	5	2	9	11	
43	19	24	5	9	9	
1333	634	699	230	235	240	
68	36	32	13	41	42	
1077	528	549	173	121	171	
672	325	347	105	143	116	
9	2	7	2	13	17	
0	0	0	0	5	5	
1738	873	865	301	286	289	
23420	11399	12021	4511	5280	3367	

.2005

3 9 -: 19353 . (4) 2005

(4)

6879	3360	3519	1227	1421	1208	
6933	3392	3541	1187	1519	1156	
4004	1996	2008	673	844	730	
904	433	471	149	169	146	
500	228	272	74	120	110	
82	39	43	15	31	37	
30	13	17	1	9	9	
0	0	0	0	6	6	
21	13	8	6	6	6	

.2005 :

. 3 -: (5) 2005 9122

(5)

7888	4004	3885	1295	1608	1497
1224	578	646	173	221	222
10	0	10	2	13	15

.2005

3.4

2006 %1.51 78400

40

%25.1 %74.9

5.8 ,2 / 34.9 . (6)

. **(6)**

2006

%	()	
62.2		48840	
25.7		20190	
12.1		9410	
100		78400	
		. 2006	

(7) %50.9 %49.1

1	_	١
(/)


23910		24930		
9950		10240		
4680		4730		
		. 2006		-:
(44 -	- 15)			
·	·		%45	
				.(8)
		(8)		
2006				
%				
13.7	11130		4 -0	
29.7	23141		14 – 5	
45.0	34658		44 – 15	
11.6	9471		45	
100	78400			
		. 20	06	-

جدول رقم (9) تطور أعداد السكان في محافظة الطفيلة خلال الفترة (1994-2005)

النسبة من المملكة	المجموع	اناث	ذكور	السنة
1.52	62920	30235	32685	1994
1.52	64800	31100	33700	1995
1.52	66600	32000	34600	1996
1.52	68500	32900	35600	1997
1.52	70300	33800	36500	1998
1.52	72000	34600	37400	1999
1.4	68000	32400	35600	2000
1.4	69700	33200	36500	2001
1.4	71400	34000	37400	2002
1.4	73200	34800	38400	2003
1.4	77000	37730	39270	2004
1.4	77100	37800	39300	2005
1.4	78400	38500	39900	2006

. 2006 -

.(3)



(3) (2006-1994)

•

: **4.4**(1200)
. (1600)

300

50 (4) .


) 950 .

-: (2002 . 1641 : 1 . 1600 : 2 . 1536 : 3

. 1000 : 4

. 1400 : 5

.(1985).



سدر : اخارطه الطبوعرافيه محافظه الطفيلة، متياس رسم ١ : ٢٠٠٠، الرحز الجعرافي الملحي الاردبي، ٢٠٠١.

شكل () الخارطة الطفيلة.

:() -1

:() -2 :() -3

:(

-5

.(2007) 20

: 5.4

. .(1985)

:

(10)

222 223 (2007-2006 | 1998-1997) 312 2007-2006

(2007). 300

(10) (2007-2006 | 1998-1997)

كمية الأمطار - ملم	العام	كمية الأمطار - ملم	العام
195	2003 -2002	256	1998-1997
266	2004 - 2003	141	1999 – 1998
288	2005- 2004	102	2000 – 1999
182	2006 -2005	207	2001 - 2000
312	2007-2006	274	2002 - 2001
		(2007)

			6.5		
3 -					1150
12-10					
	(11)		23.6		
		· (11)			
()				
21.7	18.9	14.8	10	7.4	6.5
8.6	12.9	18.4	22	23.6	23.6
			(.2007)

:

.% 70 %30 :

(21

1953 . -3-1

1953

1969 1979

()

(132) (360) .

.

3 (8) .(2005). 3 (14)

2003 .2 2520

3 16.8

.

% 99.5 % 99

. %25 2006

. (12) . / 118 (12)

(3)

3637583

2006

. 2006 -:

100

44

47 - 46

.(2006)

: **6.4**

1500

.(1993).

2209.080 93214

100825

(13) ,2 30000 .(2007). 16 .(2007 (13) () 0 38230 26263 14972 0 5445 . 2006 -: (14)

(14)

100			ماعز	
176				
20				
14			الإبل	
29				
3				
600				
		. 2006		-:
	(15)			
	(13)			
4				
2				
3				
4				
1				
3				
	3 600 3 4 0 2 3 4 1	176 20 14 29 3 600 3 (15)	176 20 14 29 3 600 3 . 2006 (15)	176 20 14 29 3 600 3 . 2006 (15)

•

:

45000 80000

(2006).

.(2007).

: **7.4**

1954 36 1957 1958

. 200 .(1993)

(100) 2006

(16)

%73

.

(16)

2548	0	8	7	13
65504	3	13	0	4
31230	13	25	1	12
0	0	34	9	13
0	8	118	0	14
22505	11	17	0	6
18496	5	7	0	16
75167	14	29	0	4

. 2006 -

8.4

2003-1999

(17)

.

(17)

. 2006 -:

116 2006 (18)

. 2006

(18)

			(عدد المدارس						
-	-		1 1	59	3	20	7	7	14	
4	0	0 0	0 0	0	0	0	0	0	0	
					. 2006	6			-:	
			24	011						
						13				
		579						2	352	
			41				74			
			41 (19)			35	74			
			(19)		1	33				
				(19)						
					%		%			
	6982	7392	986	563	0.0	8	52			
	3097	3240	319	195	0.03	3	23			
	1608	1692	187	102	0.02	2	12			
	11687	12324	1492	860						
					. 2006	5			-:	

32 2007/2006 6

2004

(20)

(20)

1006 1102 152 123 10 119 . 2006

9.4

550 585 1135 95 210 .(1999 550)

.(2007). (21)

(21)

()	()	
7	7	
11	27	
6	26	
36	16	
33	32	
23	23	
34	55	
34	36	
17	11	
29	30	
	.(2002)

2005 7601

.(2005). % 5.2

(22)

•

(22)

2005

. 2006 -:

24 117 72 2006 22

(23)

(23)

2005

 163
 22
 24
 117

 72
 9
 26
 37

 1
 1
 0
 0

. 2006 -:

: 10.4

. II

II .


.(2005).

1

. 2

150			200		600
.(2003) .				
					- 3
)			
.(
)			4
				(
				(24)	
				(5)	
		(24)			

. 2006 -:



ببوغرافيه ، السياحيه محافظه الطفيلة مقياس رسم ١: ٢٥٠٠٠٠ المر در اجعرافي الملحي الاردني. شكل ()

سحل () المواقع الاثرية في محافظة الطفيلة.

(. 1100)

-:

1
.
2

(2007). 5

: 11**.4**


[35 37 45 - 35 35 50] [30 48 02 -50 30 38]

(2005-1953) 8.75 2.2 3.5 (6) 2

> (7) (25) 1961 14155 .2006-1955 (25)

13895	1955
14155	1961
15576	1965
12493	1979
14917	1985
17293	1990
20925	1999
23420	2006

(6)



(7)

```
.(2005
            (
                (8)
                      (26)
                 (26)
250.000 - 100.000
                                          )
100.000 - 80.000
 30.000 - 20.000
 30.000 - 15.000
 20.000 - 10.000
 15.000 - 10.000
 25.000 - 15.000
 30.000 - 20.000
 20.000 - 15.000
 20.000 - 15.000
 25.000 - 15.000
                             .2007
```

(8)

: **12.4**

-1

.

"Central Business District"

·

(27) .(2007).

.

(27)

5	99
4	6
7	15
8	30
5	3
6	11
5	7
2	4
2	1
	(2007) :
	,

-2

п п

(1995).
%18 -3
(5) .
-4
% 5.1
(28)


-5


(28)

_		1
_		2
-		3
()	4
_	•	5
_		6
_		7
_		8
_		9
_		10
_		11
_		12
_		13
_		14
_		15
_		16
_		17
-()		18
		19
_		20

: 13.4

(7) (6)





(10) (9) (8)

(2007



(8)




(9)




(10)

1.5

	1953			-1
		:		(9)
104.6				
			954.4	
			8.95	•
	1976			-2
		:		(10)




شكل () المناطق المأهولة في منطقة الدراسة من الصور الجوية عام ٣ ه ١٩٥




شكل () المناطق المأهولة في منطقة الدراسة من الصور الجوية عام ١٩٧٦.

			-	
		. 1054.5	5	
141.6			-	
1953		183.5	- 1976	
(11)	1992	103.5	1970	-3
		:		
389.9_	٠			
		. 10	- . 190.9	
241.7				
199	2 1953			
133.	2 1733		. 285.3	
2005				-4
	:		(12)	



شكل () المناطق المأهولة في منطقة الدراسة من الصور الجوية عام ١٩٩٢.



شكل () المناطق المأهولة في منطقة الدراسة من المرئية الفضائية لعام ٢٠٠٥.

671.3

- .

1554.6

. 462.5

. 2005 1953

. 566.7


() -5

. (13) .2005


1992 1978 1953

-6

. (14)



شكل () التطور العمراني التراكمي لمنطقة الدراسة خلال الفترة (٣٥ ١٩٥٠ - ٢٠٠٥).



شكار () التطور العمد إني لمدينة الطفيلة خلال الفترة (٥ ٩ ٥ ١ - ٥ - ٢).

: 2.5

2005 1953,1976,1992

Buffer Zone (15) 3 -1 Buffer Zone 100 1953 -2 .14 . 4.305 Buffer Zone 200 -3 49.4 1976 45 .78 300 Buffer Zone -4 1992 104.3 .145 . 55 Buffer Zone 400 -5 311.7 2005 .567 207.3

100 Buffer Zone 24.4
400 300 200 Buffer Zone
.(29)

- 24.4 100
110.8 135.2 200

166.4

198.5

190.8

223.0

300

(16)

52


(30)

(30)

2004

31208	235224	102008	133216	
-4439	71859	38149	33710	
-622	180206	90414	89792	
-1268	23432	12350	11082	
-17380	83282	50331	32951	
7201	37813	15306	22507	
-4316	19930	12123	7807	
-6802	17990	12396	5594	
-8157	30519	19338	11181	
-2753	17177	9965	7212	
-3675	17863	10769	7094	
11003	32925	10961	21964	

.2004



: 3.5

[2005-1953]

:

-3

104.6 (Built up Area) -1

. 1953

288.0 (Built up Area) -2

183.4 1976 [1976-1953]

•

101.8 1992

671.3 (Built up Area) -4
(31) 281.4 2005

.[2005-1953]

(31)

389.9 (Built up Area)

[2005-1953]

	(2)	(2)	
0	0	104591	1953
% 32	183445	288036	1976
% 19	101816	389852	1992
% 49	281437	671289	2005

: **4.5**

-: 1

. 2

. 3

.

.(1986) .(2005) 3 21 (2003) .(2002) .(2000) 1995 2004 .(1994) (2003) (2004)

. -

(2005)

.(1998) (1985)2003 (1993) .(1996) (2004) (1995) .(2004) 1 .(1985) .(1986) 2 .(2002) .(1977) .(2003)

.(1995)

(2006) .(1995) (1997).(2001) .(1998) .(1993) (1946-1892) (2005) .(2002) (2006) (1990)

(1995)

.(1999)

: -

- Aspinal, Miller and Brinie, (1993), Geographical Information System for rural land use planning, **Applied Geography**. Vol.13, No.1, p 55.
- Bender, F. (1974), **Geology of Jordan**, Gebruder Borntrager, Berlin, p196.
- Bruce, (1996), GIS a Visual approach, On word press, Santa Fe, USA.
- Campbell, (1996) Introduction to remote Sensing, 2ed edition, Davis.
- Environmental Systems Research Institute. 1990. Understanding GIS: The ARC/INFO method. Redlands, CA: ESRI, 1 v. Environmental Systems Research Institute. 1999. GIS for Everyone. Redlands, CA: ESRI Available on:. (http://www.ncsu.edu/midlink/gis/)
- Fischer, M. M., Scholten, H. J., & Unwin, D. J. 1996. Geographic information systems, spatial data analysis and spatial modeling: an introduction. In M. M. Fischer, H. J. Scholten, & D. J. Unwin (editors), Spatial Analytical Perspectives on GIS—GIS DATA Series IV. London: Taylor & Francis. Available on: (http://www.ncsu.edu/midlink/gis/)
- Kent, Jones and Weare (1993), Geographical information system and remote Sensing in land use planning: an introduction, applied geography. Vol.13, No.1,p.58.
- Oroud, Ibrahim, and Alrousan, (2004), Urban Encroachment on Rain-Fed Agricultural Lands in Jordan, **The Arab World Geographer**, Vol. 7, No. 3. p 165-180.
- Onsrud, H. J., and David W. Cook, Editors. 1990. **Geographic and Land Information Systems for Practicing Surveyors**. Harlan J. Onsrud and David W. Cook, Editors. American Congress on Surveying and Mapping.
- People, M. (1997), Decentralized Development Planning in Spring Indonesia: Linking Organizational Structure and Planning Strategy, **Research Series**, No 15, University of Dortmund, Germany.
- Saunders, J. (1992) Land use in Barbados and Sudan using Remote. Available on: www.remotesensing/application.